


TRG OPERABLE WALL



DYNAMIC & ADAPTABLE

Increase the efficiency & explore the possibility of your workplace. Enjoy the space saving practicality & exceptional design harmony at the same time.



EXCELLENT CONVENIENCE

Heavy-duty track & smooth carrier system is made easy for operation. Minimum operating time required with fast setup seal system.

TRANSPARENCY & PRIVACY

High acoustic rating model offer true privacy without the need to sacrifice the presence of natural light. The luxury of having both at the same time.



DESIGN FLEXIBILITY

Wide collection of high-quality decorative & functional surface finishes. Range from fabric, laminate, glass, etc for your particular requirements.

Double Glazed



- > Double glazing high performance glass
- > Maximum noise management up to STC48
- > Architectural aluminium frame built for extreme durability

Thickness	85mm
Width	750mm to 1200mm
Height	1500mm to 3500mm
Surface	Tempered Glass
Acoustic Seal	Top & Bottom Retractable Seal
Acoustic Rating	STC40 to 48

Single Glazed



- > Single glazing high performance glass
- > Dynamic noise management up to STC38
- > Architectural aluminium frame built for maximum durability

Thickness	85mm
Width	750mm to 1200mm
Height	1500mm to 3500mm
Surface	Tempered Glass
Acoustic Seal	Top & Bottom Retractable Seal
Acoustic Rating	STC30 to 34

Solid



- > Ultimate flexibility as optimal space solution
- > Industry leading noise management up to STC51
- > Architectural aluminium frame built for maximum durability

Thickness	85mm
Width	750mm to 1200mm
Height	1500mm to 6000mm
Surface	Bare, Fabric or Laminate
Acoustic Seal	Top & Bottom Retractable Seal
Acoustic Rating	STC42 to 51



The Reveur Grp Pte. Ltd.